



Corrigendum to “Oxidative stress-mediated abnormal polarization of decidual macrophages promotes the occurrence of atonic postpartum hemorrhage” [Redox Biol. 81 (2025) 103530]

Jiangxue Qu^{a,b,c,1}, Hai Jiang^{a,b,c,1}, Boyang Zhang^d, Huifeng Shi^{a,b,c},
Shuai Zeng^{a,b,c}, Wei Wang^{d,*}, Lian Chen^{a,b,c,**,2},
Yangu Zhao^{a,b,c,***,2}

^a Department of Obstetrics and Gynecology, Peking University Third Hospital, Beijing, China

^b National Clinical Research Center for Obstetrics and Gynecology (Peking University Third Hospital), Beijing, China

^c National Center for Healthcare Quality Management in Obstetrics, Beijing, China

^d Department of Immunology, School of Basic Medical Sciences, NHC Key Laboratory of Medical Immunology, Medicine Innovation Center for Fundamental Research on Major Immunology-related Diseases, Peking University, Beijing, China

The authors regret the following errors in the supplemental material:

- Supplemental Figure 1: In panel B, the non-induced labor graph labeled "CTRL" was inadvertently sourced from the labor induction group. The erroneous graph has been removed and replaced with the correct graph from the non-induction group.

- Supplemental Figure 3: Similarly, the transcriptomics data presented were originally from the induction group in error. These data have now been replaced with the appropriate dataset from the non-induction group.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.redox.2025.103530>.

* Corresponding author. Department of Immunology, School of Basic Medical Sciences, Peking University, NHC Key Laboratory of Medical Immunology (Peking University), 100191, Beijing, China.

** Corresponding author. Department of Obstetrics and Gynecology, Peking University Third Hospital; National Clinical Research Center for Obstetrics and Gynecology (Peking University Third Hospital); National Center for Healthcare Quality Management in Obstetrics, 100191, Beijing, China.

*** Corresponding author. Department of Obstetrics and Gynecology, Peking University Third Hospital; National Clinical Research Center for Obstetrics and Gynecology (Peking University Third Hospital); National Center for Healthcare Quality Management in Obstetrics, 100191, Beijing, China.

E-mail addresses: wangwei83427@bjmu.edu.cn (W. Wang), bysyichenlian@126.com (L. Chen), zhaoyangyu@bjmu.edu.cn (Y. Zhao).


¹ Jiangxue Qu and Hai Jiang served as co-first authors and contributed equally to this work.

² Yangu Zhao, Lian Chen, and Wei Wang served as co-corresponding authors and contributed equally to this work.

<https://doi.org/10.1016/j.redox.2026.104081>


Available online 25 February 2026

2213-2317/© 2026 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY-NC license (<http://creativecommons.org/licenses/by-nc/4.0/>).




Non-induced labor


A 0.03% H_2O_2 vs CTRL



B 0.15% H_2O_2 vs CTRL



C 0.03% H_2O_2 vs CTRL



D 0.15% H_2O_2 vs CTRL

